

## Compact -solid laminate worktops

A solid laminate worktop is ideally suited for use in applications where moisture resistance and structural strength are required, such as on food industry worktops, restaurant table tops and terrace furniture.



---

### Valmistus

Tälli Oy  
Hallikuja 5  
42800 Haapamäki  
tilauskäsitely@tallioy.com





## A solid laminate work top is durable

The base which remains visible on a solid laminate worktop is black (CGS) and the edges can be cut to shape or left straight. The pattern comes on both sides of the work top. Patterns according to the Formica® Collection Directory. The availability must be checked from our customer service.

## Standard Profiles

- Straight
- Slight Arc
- Bevelled 45 degrees

## Standard laminate sizes

- 3050 x 1300 mm
- 2440 x 1300 mm
- 2150 x 1300 mm

## Standard thicknesses

- 10, 12, 13, 16, 18 ja 20 mm

## Sheet qualities

CGS (fire rating C-s2, d0)

- Suitable for wet rooms
- Standard quality, black base

CGF (fire rating B-s1, d0)

- Brown base

# Related PDF

---



- [Compact Standard profiles - 360.20 KB](#)



- [Formica Technical Properties, EN - 1,149.34 KB](#)



- [Formica Collection Directory, English - 4,898.28 KB](#)
- 


Valmistus


Tälli Oy

Hallikuja 5

42800 Haapamäki

tilauskäsittely@tallioy.com

-  [Declaration of Performance No2 Formica CGF - 456.21 KB](#)

-  [Declaration of Performance No1 Formica CGS - 450.85 KB](#)